

SPECIFICATION SHEET

Pet Food Packaging Machines for Kibble and Treats

Reference data for the machines on linevopack.com/applications/pet-food-packaging-machines. Figures are the listed values for each configuration; they depend on the product, pack format, tooling and utilities. Output, pack range and utilities for your product are confirmed in the quotation.

Machines

Pet food pouch packing machine

- Weighing precision ± 0.5 –2.0 g, depending on pellet size and shape
- Stand-up, doypack, flat, gusset and pillow bags
- 3.8 kW, 220 V / 380 V, 50/60 Hz

Product pages: [Pet Food Pouch Packing Machine](#)

Premade pouch machine LV-210

- Pouch 90–210 mm wide, 110–330 mm long
- 20–70 bags/min
- 3.5 kW, 220 V, 50/60 Hz

Product pages: [Premade Pouch Weighing and Filling Machine](#); [Automatic Zipper Self-Standing Bag Fruit Packaging Machine](#)

VFFS pet food bagger with multihead weigher

- 10- or 14-head weigher
- Dual servo film pulling
- Nitrogen flushing; SUS304 contact parts

Product pages: [Automatic VFFS Pet Food Packaging Machine with Multihead Weigher](#)

Pet food packaging line for kibble and treats

- Nitrogen flushing and barrier sealing
- Tool-free format change
- PLC and HMI with seal reject

Product pages: [High-Performance Pet Food Packaging Line for Premium Kibble and Semi-Moist Treats](#)

Vertical pet food bagger for oily kibble

- Reinforced high-pressure sealing jaws
- Anti-bridge feeders and vibratory channels
- PLC and HMI that reject faulty seals

Product pages: [Automatic Vertical Pet Food Packaging Machine for Dry Kibble and Treats](#)

Large vertical pet food bagger

- Servo film pulling, pneumatic cross-sealing
- PID temperature control on the sealing jaws
- Maximum bag size confirmed per project

Product pages: [Large Vertical Form Fill Seal Machine for Pet Food & Kibble Packaging](#)

Pet food can labeling machine

- Cans and tins
- Label layout set per project
- Output quoted for your can

Product pages: [Automatic Labeling Machine for Pet Food Cans & Tins](#)

Model data

Pet Food Pouch Packing Machine

Applicable Bag Types	Stand-up Pouch, Doypack, Flat Bag, Gusset Pouch, Pillow Pouch
Weighing Precision	± 0.5 g - 2.0g (Depending on pellet size and shape)

Machine Material	Food Grade SUS304 Stainless Steel (Contact parts)
Power & Voltage	3.8KW 220V/380V, 50Hz/60Hz (Configured to factory grid standards)
Listed uses • Premium Pet Food Manufacturers • Pet Treat & Jerky Processing Plants • Contract Pet Food Co-packers • Animal Feed & Aquaculture Feed Producers	

Premade Pouch Weighing and Filling Machine	
Model LV-210	
Pouch width	90–210 mm
Pouch length	110–330 mm
Packing speed	20–70 bags/min
Power	3.5 kW
Supply	220 V, 50/60 Hz
Dimensions	2150 × 1350 × 1300 mm

Automatic Zipper Self-Standing Bag Fruit Packaging Machine	
Model LV-210	
Bag Width	90-210mm
Bag Length	110-330mm
Packing Speed	20-70bags/min
Machine Weight	900KG
Voltage	220V, 50/60HZ
Power	3.5KW
Machine Size	2150 * 1350 * 1300mm

Further configurations

Technical data for these configurations is confirmed on request for your product.

Configuration	Listed uses
High-Performance Pet Food Packaging Line for Premium Kibble and Semi-Moist Treats	Pet Food Manufacturers & Co-Packers Premium Pet Food Brands Reliability for Multi-Shift Production
Large Vertical Form Fill Seal Machine for Pet Food & Kibble Packaging	Pet Food & Feed Manufacturers Premium Pet Brands
Automatic VFFS Pet Food Packaging Machine with Multihead Weigher	Pet Food & Treat Manufacturers Premium Coffee Roasteries Contract Packaging (Co-packing) Facilities Bulk Variety Pack Suppliers

Configuration	Listed uses
Automatic Vertical Pet Food Packaging Machine for Dry Kibble and Treats	Pet Food Manufacturers & Co-Packers Premium Pet Food Brands
Automatic Labeling Machine for Pet Food Cans & Tins	—
Automatic Quad Seal Bag Vertical Coffee Bean Packaging Machine	Commercial Coffee Roasters Specialty Coffee Brands Contract Packaging (Co-packing) Facilities Coffee Supply Chains

Request a quotation

Send your product, fill weight or volume, pack size and target output. We reply within 24 hours.

WhatsApp: [+86 153 3888 8949](tel:+8615338888949) · Email: jacklau@linevopack.com

Web: linevopack.com/applications/pet-food-packaging-machines